The Journal of Cell Biology

EDITOR-IN-CHIEF Ira Mellman

EDITORS Don W. Cleveland
Werner Franke
Elaine Fuchs
W. James Nelson
Louis F. Reichardt
Randy Schekman
Kenneth M. Yamada

REVIEWS EDITORS Karen Dell
Louis F. Reichardt

EDITORIAL BOARD

Kathryn Anderson	Ulrich Hartl	Leslie Parise
Richard G.W. Anderson	Nobutaka Hirokawa	Mu-ming Poo
Andrew Belmont	H. Robert Horvitz	Martin Raff
Vann Bennett	Arthur Horwich	Natasha V. Raikhel
Marianne Bronner-Fraser	Alan Rick Horwitz	Tom A. Rapoport
Eric J. Brown	Tony Hunter	Howard Riezman
Kevin P. Campbell	Keith Joiner	Daniel B. Rifkin
Lewis Cantley	Eric Karsenti	Mark Rose
John S. Condeelis	Hynda Kleinman	Joshua Sanes
Caroline Damsky	Douglas Koshland	Richard Scheller
Pietro De Camilli	Arthur D. Lander	Trina Schroer
Elisabetta Dejana	Jeanne Lawrence	Jean Schwarzbauer
Ray Deshaies	Leslie Leinwand	Masatoshi Takeichi
David Drubin	Richard Lewis	Shoichiro Tsukita
William Earnshaw	Joan Massague	David L. Vaux
Scott Emr	Jacopo Meldolesi	Junying Yuan
Larry Gerace	Timothy J. Mitchison	Graham Warren
Larry Goldstein	Randall T. Moon	Colin Watts
Alan Hall	Bjorn Olsen	Marino Zerial

MANAGING EDITOR Michael T. Rossner

EDITORIAL ASSISTANTS Helen Lee • Sati Motieram • Brandy Murphy • Adaobi Obi

COPYEDITING AND PRODUCTION Aisha Caruth • Davide R. Dickson • Erinn A. Grady • Kiran Mahto

PRODUCTION MANAGER Suzanne M. Runyan

ELECTRONIC PUBLISHING MGR Robert J. O'Donnell

Volume 149, 2000

PRO·BONO·HUMANI·GENERIS
The Rockefeller University
1901

Published biweekly by
The Rockefeller University Press
http://www.jcb.org

Copyright © 2000 by The Rockefeller University Press

Contents:

Volume 149, Number 1, April 3, 2000

In Brief

Molecular details of autosomal dominant polycystic kidney disease.
Keratin-deficient resistance to TNF.
A specialized kinesin-like motor in developing neurons.
A new family of trans-Golgi network trafficking proteins.
Cholesterol acquisition in *Toxoplasma gondii*.
A.W. Dove

Comments

1 **Reversal of fortune: Do Rab GTPases act on the target membrane?**
P. Brennwald

5 **Microtubules in *orbit*.**
S.L. Kline-Smith and C.E. Walczak

Mini-Reviews

7 **Acting like actin: The dynamics of the nematode major sperm protein (MSP) cytoskeleton indicate a push-pull mechanism for amoeboid cell motility.**
T.M. Roberts and M. Stewart

13 **Pores in the wall: Claudins constitute tight junction strands containing aqueous pores.**
S. Tsukita and M. Furuse

Brief Report

17 **Keratin-dependent, epithelial resistance to tumor necrosis factor-induced apoptosis.**
C. Caulin, C.F. Ware, T.M. Magin, and R.G. Oshima

Regular Articles

23 **Imaging constitutive exocytosis with total internal reflection fluorescence microscopy.**[o]
J. Schmoranzer, M. Goulian, D. Axelrod, and S.M. Simon

33 **Fusion of constitutive membrane traffic with the cell surface observed by evanescent wave microscopy.**[o]
D. Toomre, J.A. Steyer, P. Keller, W. Almers, and K. Simons

41 **Structure and assembly of the Nup84p complex.**
S. Siniossoglou, M. Lutzmann, H. Santos-Rosa, K. Leonard, S. Mueller, U. Aebi, and E. Hurt

55 **Asymmetric requirements for a Rab GTPase and SNARE proteins in fusion of COPII vesicles with acceptor membranes.**
X. Cao and C. Barlowe

67 **A family of proteins with γ-adaptin and VHS domains that facilitate trafficking between the trans-Golgi network and the vacuole/lysosome.**[o]
J. Hirst, W.W.Y. Lui, N.A. Bright, N. Totty, M.N.J. Seaman, and M.S. Robinson

81 **GGAs: A family of ADP ribosylation factor-binding proteins related to adaptors and associated with the Golgi complex.**[o]
E.C. Dell'Angelica, R. Puertollano, C. Mullins, R.C. Aguilar, J.D. Vargas, L.M. Hartnell, and J.S. Bonifacino

95 **The role of the COOH terminus of Sec2p in the transport of post-Golgi vesicles.**
N.B. Elkind, C. Walch-Solimena, and P.J. Novick

111 **Compromised cytoarchitecture and polarized trafficking in autosomal dominant polycystic kidney disease cells.**
A.J. Charron, S. Nakamura, R. Bacallao, and A. Wandinger-Ness

125 **Dynamic localization of protein phosphatase type 1 in the mitotic cell cycle of *Saccharomyces cerevisiae*.**[o]
A. Bloecher and K. Tatchell

141 **Evidence for the involvement of KIF4 in the anterograde transport of L1-containing vesicles.**
D. Peretti, L. Peris, S. Rosso, S. Quiroga, and A. Cáceres

153 **Orbit, a novel microtubule-associated protein essential for mitosis in *Drosophila melanogaster*.**
Y.H. Inoue, M. do Carmo Avides, M. Shiraki, P. Deak, M. Yamaguchi, Y. Nishimoto, A. Matsukage, and D.M. Glover

167 ***Toxoplasma gondii* exploits host low-density lipoprotein receptor-mediated endocytosis for cholesterol acquisition.**
I. Coppens, A.P. Sinai, and K.A. Joiner

181 **Fyn-binding protein (Fyb)/SLP-76–associated protein (SLAP), Ena/vasodilator-stimulated phosphoprotein (VASP) proteins and the Arp2/3 complex link T cell receptor (TCR) signaling to the actin cytoskeleton.**
M. Krause, A.S. Sechi, M. Konradt, D. Monner, F.B. Gertler, and J. Wehland

195 **An epidermal plakin that integrates actin and microtubule networks at cellular junctions.**
I. Karakesisoglou, Y. Yang, and E. Fuchs

209 **The function of plakophilin 1 in desmosome assembly and actin filament organization.**
M. Hatzfeld, C. Haffner, K. Schulze, and U. Vinzens

[o]The online version of this article contains supplemental material.

223 **Extracellular-regulated kinase activation and CAS/Crk coupling regulate cell migration and suppress apoptosis during invasion of the extracellular matrix.**
S.Y. Cho and R.L. Klemke

237 ADDITIONS AND CORRECTIONS

239 ADDITIONS AND CORRECTIONS

241 ADDITIONS AND CORRECTIONS

Volume 149, Number 2, April 17, 2000

In Brief

Cell sheet morphogenesis in *Drosophila*.
Observing DNA replication factories in living cells.
Differing behavior of mother and daughter centrioles.
Control of growth cone collapse.
Integrin-mediated signals and Bax-mediated apoptosis.
A.W. Dove

Comment

243 **W(h)ither the Golgi during mitosis?**
W.J. Nelson

Brief Reports

249 **The transcriptional coactivator CBP interacts with β-catenin to activate gene expression.**
K.-I. Takemaru and R.T. Moon

255 **Cytoplasmic localization and the choice of ligand determine aggregate formation by androgen receptor with amplified polyglutamine stretch.**
M. Becker, E. Martin, J. Schneikert, H.F. Krug, and A.C.B. Cato

263 **Ephrin-A5 induces collapse of growth cones by activating Rho and Rho kinase.**
S. Wahl, H. Barth, T. Ciossek, K. Aktories, and B.K. Mueller

Regular Articles

271 **Dynamics of DNA replication factories in living cells.**
H. Leonhardt, H.-P. Rahn, P. Weinzierl, A. Sporbert, T. Cremer, D. Zink, and M.C. Cardoso

281 **p21 and retinoblastoma protein control the absence of DNA replication in terminally differentiated muscle cells.**
A. Mal, D. Chattopadhyay, M.K. Ghosh, R.Y.C. Poon, T. Hunter, and M.L. Harter

293 **The ribosomal RNA processing machinery is recruited to the nucleolar domain before RNA polymerase I during *Xenopus laevis* development.**
C. Verheggen, G. Almouzni, and D. Hernandez-Verdun

307 **The $MKK_{3/6}$-p38–signaling cascade alters the subcellular distribution of hnRNP A1 and modulates alternative splicing regulation.**
W. van der Houven van Oordt, M.T. Diaz-Meco, J. Lozano, A.R. Krainer, J. Moscat, and J.F. Cáceres

317 **The respective contributions of the mother and daughter centrioles to centrosome activity and behavior in vertebrate cells.**
M. Piel, P. Meyer, A. Khodjakov, C.L. Rieder, and M. Bornens

331 **A specific activation of the mitogen-activated protein kinase kinase 1 (MEK1) is required for Golgi fragmentation during mitosis.**
A. Colanzi, T.J. Deerinck, M.H. Ellisman, and V. Malhotra

341 **The mitotic phosphorylation cycle of the cis-Golgi matrix protein GM130.**
M. Lowe, N.K. Gonatas, and G. Warren

357 **MEK and Cdc2 kinase are sequentially required for Golgi disassembly in MDCK cells by the mitotic *Xenopus* extracts.**
F. Kano, K. Takenaka, A. Yamamoto, K. Nagayama, E. Nishida, and M. Murata

369 **A small chloroplast-encoded protein as a novel architectural component of the light-harvesting antenna.**
S. Ruf, K. Biehler, and R. Bock

379 **A phosphorylation site regulates sorting of the vesicular acetylcholine transporter to dense core vesicles.**
D.E. Krantz, C. Waites, V. Oorschot, Y. Liu, R.I. Wilson, P.K. Tan, J. Klumperman, and R.H. Edwards

397 **The F-box protein Rcy1p is involved in endocytic membrane traffic and recycling out of an early endosome in *Saccharomyces cerevisiae*.**
A. Wiederkehr, S. Avaro, C. Prescianotto-Baschong, R. Haguenauer-Tsapis, and H. Riezman

411 **Semaphorin3A enhances endocytosis at sites of receptor–F-actin colocalization during growth cone collapse.**
A.E. Fournier, F. Nakamura, S. Kawamoto, Y. Goshima, R.G. Kalb, and S.M. Strittmatter

423 **Suppression of Pyk2 kinase and cellular activities by FIP200.**
H. Ueda, S. Abbi, C. Zheng, and J.-L. Guan

431 **Integrin-mediated survival signals regulate the apoptotic function of Bax through its conformation and subcellular localization.**
A.P. Gilmore, A.D. Metcalfe, L.H. Romer, and C.H. Streuli

447 **Activated *ras* prevents downregulation of Bcl-X_L triggered by detachment from the extracellular matrix: A mechanism of *ras*-induced resistance to anoikis in intestinal epithelial cells.**
K. Rosen, J. Rak, T. Leung, N.M. Dean, R.S. Kerbel, and J. Filmus

457 **Role of p120 Ras-GAP in directed cell movement.**
S.V. Kulkarni, G. Gish, P. van der Geer, M. Henkemeyer, and T. Pawson

471 **Multiple forces contribute to cell sheet morphogenesis for dorsal closure in *Drosophila*.**
D.P. Kiehart, C.G. Galbraith, K.A. Edwards, W.L. Rickoll, and R.A. Montague

491 **The glycosylphosphatidyl inositol-anchored adhesion molecule F3/contactin is required for surface transport of paranodin/contactin-associated protein (caspr).**
C. Faivre-Sarrailh, F. Gauthier, N. Denisenko-Nehrbass, A. Le Bivic, G. Rougon, and J.-A. Girault

503 **Plakoglobin suppresses epithelial proliferation and hair growth in vivo.**
E. Charpentier, R.M. Lavker, E. Acquista, and P. Cowin

521 **Defining fibronectin's cell adhesion synergy site by site-directed mutagenesis.**
S.D. Redick, D.L. Settles, G. Briscoe, and H.P. Erickson

Volume 149, Number 3, May 1, 2000

In Brief

Caspase-2 in the Golgi complex.
Mammalian synthesis of very long chain fatty acids.
Role of AKAP95 in chromosome condensation.
Structure and function of ENTH domains.
Interactions of a chaperonin with nascent polypeptides.
A.W. Dove

Comment

529 ***Quo vadis:* Polarized membrane recycling in motility and phagocytosis.**
I. Mellman

Brief Reports

531 **A kinase–anchoring protein (AKAP)95 recruits human chromosome-associated protein (hCAP)-D2/Eg7 for chromosome condensation in mitotic extract.**
R.L. Steen, F. Cubizolles, K. Le Guellec, and P. Collas

537 **Epsin 1 undergoes nucleocytosolic shuttling and its Eps15 interactor NH_2-terminal homology (ENTH) domain, structurally similar to *armadillo* and HEAT repeats, interacts with the transcription factor promyelocytic leukemia Zn^{2+} finger protein (PLZF).**
J. Hyman, H. Chen, P.P. Di Fiore, P. De Camilli, and A.T. Brunger

547 **Keratins turn over by ubiquitination in a phosphorylation-modulated fashion.**
N.-O. Ku and M.B. Omary

Regular Articles

553 **Partitioning of the 2-μm circle plasmid of *Saccharomyces cerevisiae*: Functional coordination with chromosome segregation and plasmid-encoded Rep protein distribution.**
S. Velmurugan, X.-M. Yang, C.S.-M. Chan, M. Dobson, and M. Jayaram

567 **Nucleolar localization of human methionyl–tRNA synthetase and its role in ribosomal RNA synthesis.**
Y.-G. Ko, Y.-S. Kang, E.-K. Kim, S.G. Park, and S. Kim

575 **Association of yeast RNA polymerase I with a nucleolar substructure active in rRNA synthesis and processing.**
S. Fath, P. Milkereit, A.V. Podtelejnikov, N. Bischler, P. Schultz, M. Bier, M. Mann, and H. Tschochner

591 **The interaction of the chaperonin tailless complex polypeptide 1 (TCP1) ring complex (TRiC) with ribosome-bound nascent chains examined using photo-cross-linking.**
C.D. McCallum, H. Do, A.E. Johnson, and J. Frydman

603 **Caspase-2 is localized at the Golgi complex and cleaves golgin-160 during apoptosis.**
M. Mancini, C.E. Machamer, S. Roy, D.W. Nicholson, N.A. Thornberry, L.A. Casciola-Rosen, and A. Rosen

613 **Dual role of caspase-11 in mediating activation of caspase-1 and caspase-3 under pathological conditions.**
S.-J. Kang, S. Wang, H. Hara, E.P. Peterson, S. Namura, S. Amin-Hanjani, Z. Huang, A. Srinivasan, K.J. Tomaselli, N.A. Thornberry, M.A. Moskowitz, and J. Yuan

623 **Pro-apoptotic apoptosis protease–activating factor 1 (Apaf-1) has a cytoplasmic localization distinct from Bcl-2 or Bcl-x_L.**
G. Hausmann, L.A. O'Reilly, R. van Driel, J.G. Beaumont, A. Strasser, J.M. Adams, and D.C.S. Huang

635 **Isoforms of α-actinin from cardiac, smooth, and skeletal muscle form polar arrays of actin filaments.**
K.A. Taylor, D.W. Taylor, and F. Schachat

647 ***Drosophila* β spectrin functions independently of α spectrin to polarize the Na,K ATPase in epithelial cells.**
R.R. Dubreuil, P. Wang, S. Dahl, J. Lee, and L.S.B. Goldstein

657 **Calcineurin activity is required for the initiation of skeletal muscle differentiation.**
B.B. Friday, V. Horsley, and G.K. Pavlath

667 **Roles of autocrine TGF-β receptor and Smad signaling in adipocyte differentiation.**
L. Choy, J. Skillington, and R. Derynck

683 **Analysis of Notch lacking the carboxyl terminus identified in *Drosophila* embryos.**
C.S. Wesley and L. Saez

697 **Focal exocytosis of VAMP3-containing vesicles at sites of phagosome formation.**
L. Bajno, X.-R. Peng, A.D. Schreiber, H.-P. Moore, W.S. Trimble, and S. Grinstein

707 **Role of a new mammalian gene family in the biosynthesis of very long chain fatty acids and sphingolipids.**
P. Tvrdik, R. Westerberg, S. Silve, A. Asadi, A. Jakobsson, B. Cannon, G. Loison, and A. Jacobsson

719 **Direct observation of membrane tethers formed during neutrophil attachment to platelets or P-selectin under physiological flow.**
D.W. Schmidtke and S.L. Diamond

731 **Electromechanical coupling between skeletal and cardiac muscle: Implications for infarct repair.**
H. Reinecke, G.H. MacDonald, S.D. Hauschka, and C.E. Murry

741 **Matrix survival signaling: From fibronectin via focal adhesion kinase to c-Jun NH_2-terminal kinase.**
E.A.C. Almeida, D. Ilić, Q. Han, C.R. Hauck, F. Jin, H. Kawakatsu, D.D. Schlaepfer, and C.H. Damsky

755 ADDITIONS AND CORRECTIONS

Volume 149, Number 4, May 15, 2000

In Brief

Mechanisms of vesicular transport in neurite outgrowth.
Structural transitions at microtuble ends.
Germ plasm segregation and specification.
Functions of spectrin in *C. elegans*.
Nuclear import of RCC1.
A.W. Dove

Comment

757 **Defining a role and mechanism for IgCAM function in vertebrate axon guidance.**
U. Rutishauser

Mini-Review

761 **EB1 proteins regulate microtubule dynamics, cell polarity, and chromosome stability.**
J.S. Tirnauer and B.E. Bierer

Brief Reports

767 **Structural transitions at microtubule ends correlate with their dynamic properties in *Xenopus* egg extracts.**
I. Arnal, E. Karsenti, and A.A. Hyman

775 **Oncogenic Ras downregulates Rac activity, which leads to increased Rho activity and epithelial–mesenchymal transition.**
G.C.M. Zondag, E.E. Evers, J.P. ten Klooster, L. Janssen, R.A. van der Kammen, and J.G. Collard

783 **Intracellular Ca^{2+} and Ca^{2+}/calmodulin-dependent kinase II mediate acute potentiation of neurotransmitter release by neurotrophin-3.**
X.-p. He, F. Yang, Z.-p. Xie, and B. Lu

793 **Capacitative calcium entry deficits and elevated luminal calcium content in mutant presenilin-1 knockin mice.**
M.A. Leissring, Y. Akbari, C.M. Fanger, M.D. Cahalan, M.P. Mattson, and F.M. LaFerla

Regular Articles

799 **Formation of a complex between nucleolin and replication protein A after cell stress prevents initiation of DNA replication.**
Y. Daniely and J.A. Borowiec

811 **The condensin complex governs chromosome condensation and mitotic transmission of rDNA.**
L. Freeman, L. Aragon-Alcaide, and A. Strunnikov

825 **DNA dendrimers localize MyoD mRNA in presomitic tissues of the chick embryo.**
J. Gerhart, M. Baytion, S. DeLuca, R. Getts, C. Lopez, R. Niewenhuis, T. Nilsen, S. Olex, H. Weintraub, and M. George-Weinstein

835 **Nuclear import of the Ran exchange factor, RCC1, is mediated by at least two distinct mechanisms.**
M.E. Nemergut and I.G. Macara

851 **Formation of spindle poles by dynein/dynactin-dependent transport of NuMA.**
A. Merdes, R. Heald, K. Samejima, W.C. Earnshaw, and D.W. Cleveland

863 **Microtubule interactions with the cell cortex causing nuclear movements in *Saccharomyces cerevisiae*.**
N.R. Adames and J.A. Cooper

875 **Zebrafish *vasa* RNA but not its protein is a component of the germ plasm and segregates asymmetrically before germline specification.**
H. Knaut, F. Pelegri, K. Bohmann, H. Schwarz, and C. Nüsslein-Volhard

889 **Role of tetanus neurotoxin insensitive vesicle-associated membrane protein (TI-VAMP) in vesicular transport mediating neurite outgrowth.**
S. Martinez-Arca, P. Alberts, A. Zahraoui, D. Louvard, and T. Galli

901 **Distinct membrane domains on endosomes in the recycling pathway visualized by multicolor imaging of Rab4, Rab5, and Rab11.**
B. Sönnichsen, S. De Renzis, E. Nielsen, J. Rietdorf, and M. Zerial

915 ***Caenorhabditis elegans* β-G spectrin is dispensable for establishment of epithelial polarity, but essential for muscular and neuronal function.**
S. Moorthy, L. Chen, and V. Bennett

931 **Mutations in β-spectrin disrupt axon outgrowth and sarcomere structure.**
M. Hammarlund, W.S. Davis, and E.M. Jorgensen

943 **Inhibition of cytokinesis by a lipid metabolite, psychosine.**
T. Kanazawa, S. Nakamura, M. Momoi, T. Yamaji, H. Takematsu, H. Yano, H. Sabe, A. Yamamoto, T. Kawasaki, and Y. Kozutsumi

951 **A direct interaction of axonin-1 with NgCAM-related cell adhesion molecule (NrCAM) results in guidance, but not growth of commissural axons.**
D. Fitzli, E.T. Stoeckli, S. Kunz, K. Siribour, C. Rader, B. Kunz, S.V. Kozlov, A. Buchstaller, R.P. Lane, D.M. Suter, W.J. Dreyer, and P. Sonderegger

969 **The tetraspan molecule CD151, a novel constituent of hemidesmosomes, associates with the integrin α6β4 and may regulate the spatial organization of hemidesmosomes.**
L.M.Th. Sterk, C.A.W. Geuijen, L.C.J.M. Oomen, J. Calafat, H. Janssen, and A. Sonnenberg

983 **Growth plate compressions and altered hematopoiesis in collagen X null mice.**
C.J. Gress and O. Jacenko

Volume 149, Number 5, May 29, 2000

In Brief

One-step immortalization.
NSF-resistant fusion.
Getting rid of fibrin.
A channel opens wide.
Spatial organization of signaling.
W.A. Wells

Comment

995 **Syndecan-regulated receptor signaling.**
A.C. Rapraeger

Mini-Review

999 **It's got you covered: NF-κB in the epidermis.**
C.K. Kaufman and E. Fuchs

Brief Reports

1005 **JIL-1, a chromosomal kinase implicated in regulation of chromatin structure, associates with the male specific lethal (MSL) dosage compensation complex.**
Y. Jin, Y. Wang, J. Johansen, and K.M. Johansen

1011 **Inhibition of apoptotic signaling cascades causes loss of trophic factor dependence during neuronal maturation.**
G.V. Putcha, M. Deshmukh, and E.M. Johnson, Jr.

1019 **Leydig cell loss and spermatogenic arrest in platelet-derived growth factor (PDGF)-A–deficient mice.**
L. Gnessi, S. Basciani, S. Mariani, M. Arizzi, G. Spera, C. Wang, C. Bondjers, L. Karlsson, and C. Betsholtz

Regular Articles

1027 **Yeast nucleoporins involved in passive nuclear envelope permeability.**
N. Shulga, N. Mosammaparast, R. Wozniak, and D.S. Goldfarb

1039 ***PNG1*, a yeast gene encoding a highly conserved peptide:*N*-glycanase.**
T. Suzuki, H. Park, N.M. Hollingsworth, R. Sternglanz, and W.J. Lennarz

1053 **The role of intraorganellar Ca^{2+} in late endosome–lysosome heterotypic fusion and in the reformation of lysosomes from hybrid organelles.**
P.R. Pryor, B.M. Mullock, N.A. Bright, S.R. Gray, and J.P. Luzio

1063 **SNAREpins are functionally resistant to disruption by NSF and αSNAP.**
T. Weber, F. Parlati, J.A. McNew, R.J. Johnston, B. Westermann, T.H. Söllner, and J.E. Rothman

1073 **Zyxin, a regulator of actin filament assembly, targets the mitotic apparatus by interacting with h-warts/LATS1 tumor suppressor.**
T. Hirota, T. Morisaki, Y. Nishiyama, T. Marumoto, K. Tada, T. Hara, N. Masuko, M. Inagaki, K. Hatakeyama, and H. Saya

1087 **ADP ribosylation factor-like protein 2 (Arl2) regulates the interaction of tubulin-folding cofactor D with native tubulin.**
A. Bhamidipati, S.A. Lewis, and N.J. Cowan

1097 **Polyglycylation of tubulin is essential and affects cell motility and division in *Tetrahymena thermophila*.**
L. Xia, B. Hai, Y. Gao, D. Burnette, R. Thazhath, J. Duan, M.-H. Bré, N. Levilliers, M.A. Gorovsky, and J. Gaertig

1107 **Ges, a human GTPase of the Rad/Gem/Kir family, promotes endothelial cell sprouting and cytoskeleton reorganization.**
J.Y. Pan, W.E. Fieles, A.M. White, M.M. Egerton, and D.S. Silberstein

1117 **Downregulation of 14-3-3σ prevents clonal evolution and leads to immortalization of primary human keratinocytes.**
E. Dellambra, O. Golisano, S. Bondanza, E. Siviero, P. Lacal, M. Molinari, S. D'Atri, and M. De Luca

1131 **Observing FcεRI signaling from the inside of the mast cell membrane.**
B.S. Wilson, J.R. Pfeiffer, and J.M. Oliver

1143 **The cysteine-rich domain of human ADAM 12 supports cell adhesion through syndecans and triggers signaling events that lead to β1 integrin–dependent cell spreading.**
K. Iba, R. Albrechtsen, B. Gilpin, C. Fröhlich, F. Loechel, A. Zolkiewska, K. Ishiguro, T. Kojima, W. Liu, J.K. Langford, R.D. Sanderson, C. Brakebusch, R. Fässler, and U.M. Wewer

1157 **Tissue plasminogen activator–mediated fibrinolysis protects against axonal degeneration and demyelination after sciatic nerve injury.**
K. Akassoglou, K.W. Kombrinck, J.L. Degen, and S. Strickland

Volume 149, Number 6, June 12, 2000

In Brief

A contact-inhibition signal.
An integrin not needed for fertilization.
Calcium wave regulation.
Cadherin-integrin coordination.
Lipids in cytokinesis.
W.A. Wells

Comment

1167 **Cell migration through extracellular matrix: Membrane-type metalloproteinases make the way.**
V. Quaranta

Brief Report

1171 **The peroxin Pex19p interacts with multiple, integral membrane proteins at the peroxisomal membrane.**
W.B. Snyder, A. Koller, A.J. Choy, and S. Subramani

Regular Articles

1179 **Disruption of nuclear lamin organization blocks the elongation phase of DNA replication.**
R.D. Moir, T.P. Spann, H. Herrmann, and R.D. Goldman

1193 **Relationship between contact inhibition and intranuclear S100C of normal human fibroblasts.**
M. Sakaguchi, M. Miyazaki, Y. Inoue, T. Tsuji, H. Kouchi, T. Tanaka, H. Yamada, and M. Namba

1207 **Tumor necrosis factor induces hyperphosphorylation of kinesin light chain and inhibits kinesin-mediated transport of mitochondria.**
K. De Vos, F. Severin, F. Van Herreweghe, K. Vancompernolle, V. Goossens, A. Hyman, and J. Grooten

1215 **An essential role for a membrane lipid in cytokinesis: Regulation of contractile ring disassembly by redistribution of phosphatidylethanolamine.**
K. Emoto and M. Umeda

1225 **Isoenzyme-specific interaction of muscle-type creatine kinase with the sarcomeric M-line is mediated by NH_2-terminal lysine charge-clamps.**
T. Hornemann, M. Stolz, and T. Wallimann

1235 **Cytosolic phosphorylation of calnexin controls intracellular Ca^{2+} oscillations via an interaction with SERCA2b.**
H.L. Roderick, J.D. Lechleiter, and P. Camacho

1249 **The tyrosine kinase PYK-2/RAFTK regulates natural killer (NK) cell cytotoxic response, and is translocated and activated upon specific target cell recognition and killing.**

D. Sancho, M. Nieto, M. Llano, J.L. Rodríguez-Fernández, R. Tejedor, S. Avraham, C. Cabañas, M. López-Botet, and F. Sánchez-Madrid

1263 **The nonreceptor tyrosine kinase Fer mediates cross-talk between N-cadherin and β1-integrins.**

C. Arregui, P. Pathre, J. Lilien, and J. Balsamo

1275 **Coordinate regulation of cadherin and integrin function by the chondroitin sulfate proteoglycan neurocan.**

H. Li, T.-C. Leung, S. Hoffman, J. Balsamo, and J. Lilien

1289 **Normal fertilization occurs with eggs lacking the integrin α6β1 and is CD9-dependent.**

B.J. Miller, E. Georges-Labouesse, P. Primakoff, and D.G. Myles

1297 **Signaling by fibroblast growth factors (FGF) and fibroblast growth factor receptor 2 (FGFR2)–activating mutations blocks mineralization and induces apoptosis in osteoblasts.**

A. Mansukhani, P. Bellosta, M. Sahni, and C. Basilico

1309 **Regulation of cell invasion and morphogenesis in a three-dimensional type I collagen matrix by membrane-type matrix metalloproteinases 1, 2, and 3.**

K. Hotary, E. Allen, A. Punturieri, I. Yana, and S.J. Weiss

Volume 149, Number 7, June 26, 2000

In Brief

Interdependence in cytokinesis.
Cdc28 activates mitotic exit.
A plant vacuolar sorting receptor.
GMC proteins and PIP_2.
Neurons regulate astrocytic communication.

W.A. Wells

Brief Report

1325 **Role of EGR1 in hippocampal synaptic enhancement induced by tetanic stimulation and amputation.**

F. Wei, Z.C. Xu, Z. Qu, J. Milbrandt, and M. Zhuo

Regular Articles

1335 **The plant vacuolar sorting receptor AtELP is involved in transport of NH_2-terminal propeptide-containing vacuolar proteins in *Arabidopsis thaliana*.**

S.U. Ahmed, E. Rojo, V. Kovaleva, S. Venkataraman, J.E. Dombrowski, K. Matsuoka, and N.V. Raikhel

1345 **Inhibitors of COPI and COPII do not block *PEX3*-mediated peroxisome synthesis.**

S.T. South, K.A. Sacksteder, X. Li, Y. Liu, and S.J. Gould

1361 **Cdc28 activates exit from mitosis in budding yeast.**

A.D. Rudner, K.G. Hardwick, and A.W. Murray

1377 **Phosphorylation by Cdc28 activates the Cdc20-dependent activity of the anaphase-promoting complex.**

A.D. Rudner and A.W. Murray

1391 **CYK-4: A Rho family GTPase activating protein (GAP) required for central spindle formation and cytokinesis.**

V. Jantsch-Plunger, P. Gönczy, A. Romano, H. Schnabel, D. Hamill, R. Schnabel, A.A. Hyman, and M. Glotzer

1405 **TPX2, A novel *Xenopus* MAP involved in spindle pole organization.**

T. Wittmann, M. Wilm, E. Karsenti, and I. Vernos

1419 **Coupling of Gab1 to c-Met, Grb2, and Shp2 mediates biological responses.**

U. Schaeper, N.H. Gehring, K.P. Fuchs, M. Sachs, B. Kempkes, and W. Birchmeier

1433 **Colocalization and redistribution of dishevelled and actin during Wnt-induced mesenchymal morphogenesis.**

M.A. Torres and W.J. Nelson

1443 **Shared and unique roles of CAP23 and GAP43 in actin regulation, neurite outgrowth, and anatomical plasticity.**

D. Frey, T. Laux, L. Xu, C. Schneider, and P. Caroni

1455 **GAP43, MARCKS, and CAP23 modulate $PI(4,5)P_2$ at plasmalemmal rafts, and regulate cell cortex actin dynamics through a common mechanism.**

T. Laux, K. Fukami, M. Thelen, T. Golub, D. Frey, and P. Caroni

1473 **Apical membrane targeting of Nedd4 is mediated by an association of its C2 domain with annexin XIIIb.**

P.J. Plant, F. Lafont, S. Lecat, P. Verkade, K. Simons, and D. Rotin

1485 **Plasmin-sensitive dibasic sequences in the third fibronectin-like domain of L1–cell adhesion molecule (CAM) facilitate homomultimerization and concomitant integrin recruitment.**
S. Silletti, F. Mei, D. Sheppard, and A.M.P. Montgomery

1503 **Phosphorylation of connexin43 on serine368 by protein kinase C regulates gap junctional communication.**
P.D. Lampe, E.M. TenBroek, J.M. Burt, W.E. Kurata, R.G. Johnson, and A.F. Lau

1513 **Activity-dependent neuronal control of Gap-junctional communication in astrocytes.**
N. Rouach, J. Glowinski, and C. Giaume

1527 AUTHOR INDEX FOR VOLUME 149

1537 SUBJECT INDEX FOR VOLUME 149